

Google scholar

transforming source schema to target schema

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations



Create email alert Results 1 - 10 of about 18. (0.16 sec)

[XML representation of hierarchical classification systems: from conceptual models to real applications.](#)[\[PDF\] from nih.gov](#)

S Hoelzer, RK Schweiger, R Liu, D Rudolf, ... - Proceedings of the ..., 2002 - ncbi.nlm.nih.gov

... As a consequence, we can use existing XML tools such as parsers and transformation engines

to ... A relational database is often used as a source to generate above mentioned electronic formats. ...

With our "XML Schema browser" the user is able to take any XML schema or DTD ...

[Cited by 1](#) - [Related articles](#) - [All 5 versions](#)[Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-](#)[Health Applications](#)

R Liu, D Rudolf, J Rieger - 2005 - IOS Press

... transformation engines to process an XML schema. ... A relational database is often used as a source

to generate above mentioned electronic formats. ... Browsing the XML Schema With our "XML

Schema browser" the user is able to take any XML schema or DTD and to view and ...

[Related articles](#)[\[PDF\] Recommendations](#)[\[PDF\] from dimdi.de](#)

R Liu, D Rudolf, J Rieger, MD Joachim Dudeck - dimdi.de

... parsers and transformation engines to process an XML schema. ... into a parent. A relational

database is often used as a source to generate above mentioned electronic formats. ... With our

"XML Schema browser" the user is able to take any XML schema or DTD and to view and ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)[\[CITATION\] Recommendations](#)

S Hoelzer, R Liu, D Rudolf, J Rieger, J Dudeck

[Related articles](#) - [All 2 versions](#)[Standardized Semantic Markup for Reference Terminologies, Thesauri and Coding Systems: Benefits for distributed E-](#)[Health Applications](#)

D Rudolf, JRJ Dudeck - Medical and care compunetics 2, 2005 - books.google.com

... A relational database is often used as a source to generate above mentioned electronic formats. ...

Our XML schema of the ICD-10 differs from the CEN ClaML standard in that way ... Nevertheless,

despite this additional granularity it is possible to transform our XML model into the ...

[Related articles](#)

[\[PDF\] XML Representation of Hierarchical Classification Systems: From Conceptual Models to Real Applications](#)

R Liu, D Rudolf, J Rieger - files.hplus.ch

... As a consequence, we can use existing XML tools such as parsers and transformation engines to ... A relational database is often used as a source to generate above mentioned electronic formats. ... With our "XML Schema browser" the user is able to take any XML schema or DTD ...

[Related articles](#) - [All 2 versions](#)

[Transparent ICD and DRG coding using information technology: Linking and associating information sources with the extensible markup language](#)

S Hoelzer, RK Schweiger, J Dudeck - Journal of the American ..., 2003 - jamia.bmj.com

... Depending on the specific requirements of an application, style sheets can transform and render XML sources ... more closely the association is related to the source, the more relevant that source is ... The XML schema provides data types that can be used to restrict and validate the ...

[Cited by 3](#) - [Related articles](#) - [All 14 versions](#)

[\[HTML\]](#) from nih.gov

[\[PDF\] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT](#)

RA Vines, JM Firestone - vcoss.org.au

... process, content is mapped between the source and destination schemas. ... In particular, the CGML application provides a transformation system through which the digital elements expressed ... reproduces the definitions and examples as given by each tagging schema. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[PDF\]](#) from vcoss.org.au

[\[PDF\] AND THE EXCHANGE OF HUMANLY USABLE DIGITAL CONTENT ACROSS A GLOBAL ECONOMY](#)

RA Vines, JM Firestone - kmci.org

... process, content is mapped between the source and destination schemas. ... In particular, the CGML application provides a transformation system through which the digital elements expressed ... reproduces the definitions and examples as given by each tagging schema. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\]](#) from kmci.org

[Mark-up driven strategies for text-to-hypertext conversion](#)

A Storrer - Linguistic Modeling of Information and Markup ..., 2010 - Springer

... and can be validated against its corresponding document grammar (DTD or schema file ... On this basis we implemented four basic operations that transform the paragraphs of sequential ... a link, he further differen- tiates between one-to-one-links, which connect a source anchor to ...

[Cited by 3](#) - [Related articles](#) - [All 7 versions](#)

[\[PDF\]](#) from psu.edu

☒ [Create email alert](#)

transforming source schema to target schema via common DTD and superresolution

Search

---

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google